



WASCO FACILITY PROFILE PACKET

GENERAL WASTE ACCEPTANCE CRITERIA

- 1. Waste acceptable at California Water Reclamation:**
 - A. All Non-Hazardous Wastewaters**
 - B. Designated Non-Hazardous Semi Solid Wastewaters**

- 2. Referred regulations governing generating waste processes and pollutant levels:**
 - A. California Admin Code, Title 22, section 66261**
 - B. Clean Water Act of 1977**
 - C. California Health and Safety Code, sections 25143 and 25243**
 - D. 40 CFR, sections 136 and 261**

- 3. Referred documents which govern profiling and acceptance of waste:**
 - A. Facility Doctrine**
 - B. Profile Packet**
 - C. Waste Acceptance Verification Procedure**

Specific Non-Hazardous Wastes Currently Accepted
(Other Non-Hazardous waste streams will be evaluated on a case-by-case basis)

1. Non-Hazardous wastewaters from the following processes:

- | | |
|--|----------------------------------|
| A. Oil and Gas Exploration and production | I. Water Softener Reject |
| B. De-ionization Brine | J. Boiler Blow Down Brine |
| C. Cooling Tower Brine | K. Groundwater |
| D. Contaminated Rainwater | L. Pipeline Hydro-testing |
| E. Landfill Leachate and Gas Condensate | M. Pond Water |
| F. Stormwater | |
| G. Natural Gas Dehydration | |
| H. Neutralized Acid | |

2. Non-Hazardous solid waste from the following processes:

- A. Winery Wastewater**
- B. Drilling Muds and Cuttings**
- C. Oil Well abandonment Fluid**
- D. Food/Produce**

GENERAL PROHIBITIONS

California Water Reclamation – Wasco—recycles for beneficial reuse. We only accept water that supports our treatment design. Waste not acceptable at California Water Reclamation includes the following:

- A. Pollutants which create a fire or explosive hazard, including, but not limited to, wastes with a closed--cup flashpoint of less than 140 F (60 C).
- B. Any pollutant or waste having a pH less than 6 or more than 11.5 or otherwise cause corrosive structural damage to personnel or equipment.
- C. Wastes having a temperature of greater than 140 F (60 C).
- D. Pollutants which either singly or by interaction with other wastes result in the presence of toxic gases, vapors, or fumes in a quantity that may cause acute worker health and/or safety problems.
- E. Noxious or malodorous liquids, gases, solids, or other waste which, either singly or by interaction with other wastes, are sufficient to create a public nuisance or a hazard to life.
- G. Waste containing any radioactive wastes or isotopes except in compliance with applicable State and Federal regulations.
- H. Any waste containing PFAS (perfluoroalkyl and polyfluoroalkyl substances) contaminants.
- I. Detergents, surface--active agents, or other substances which may cause excessive foaming.
- J. Waste defined as hazardous waste by RCRA and California Water Law.

CALIFORNIA WATER RECLAMATION

NON-HAZARDOUS WASTE PROFILE SHEET

Please fill in completely all areas. This is an application, not an approval.

GENERATOR: _____

FACILITY ADDRESS: _____

BILLING ADDRESS: _____

TECHNICAL CONTACT: _____ **TITLE:** _____

TELEPHONE NUMBER: _____

The Generator's Location is: Private Business Public (PLEASE CIRCLE)

WASTE TYPE: _____

Anticipated Volume and Frequency: _____

I hereby certify that the wastewater proposed to be processed at California Water Reclamation, located at 591 J Street, Wasco, CA 93280 is non-hazardous according to criteria contained in Article 11 of Title 22, California Administrative Code.

I hereby certify that the wastewater profiled herein is representative of materials to be delivered to California Water Reclamation. Each load shall be accompanied by a non-hazardous waste manifest which certifies that the material contained therein is non-hazardous.

I hereby certify that the information provided is true, correct and complete to the best of my knowledge.

AUTHORIZED AGENT SIGNATURE: _____

PRINTED NAME: _____ **TITLE:** _____

CALIFORNIA WATER RECLAMATION

Analytical Requirements

Generators may be required to submit the following analytical results (tested by a state certified laboratory) with the profile:

<u>Parameter / Test</u>	<u>Abbreviated Name</u>	<u>Test Method</u>
CAM 17 Metals	CAM 17	EPA 6010C
Volatile Organic Compounds	VOCS	EPA 8260B
Total Petroleum Hydrocarbons	TPH (full range)	EPA 8015
Nitrates		
Biochemical Oxygen Demand	BOD	EPA 5210-B
Chemical Oxygen Demand	COD	EPA 5220-D
Total Suspended Solids	TSS	EPA 2540-D
Total Dissolved Solids	TDS	EPA 2540-C
pH	pH	EPA 4500-H
Oil and Grease	O&G	EPA 1664
Dissolved H ₂ S	D. H ₂ S	EPA 4500-O
*Percent (%) Solids	% solids	EPA 2540
Title 22 Metals	Metals	EPA 200.7
Total Toxic Organics	TTOs	EPA 624 and 625

POST PROFILE INFORMATION

Disposal Approval:	Approval will be granted to the generator upon approval of profile.
Disposal Procedures:	A non-hazardous waste manifest is required for each load delivered. Disposal is generally granted during normal operational hours. All loads must be scheduled the previous business day prior to delivery unless a standard delivery schedule is approved. Disposal after 6pm or on holidays must be coordinated first.
Disposal Rate Schedule:	See attached.
Address for Manifest:	California Water Reclamation LLC 591 J Street Wasco, CA 93280
Hours of Operation:	Monday – Saturday, 6AM – 6PM
After Hours:	6PM – 6AM, Sundays
Holidays:	Closed all major holidays, available on a scheduled callout basis